
---, ---
---, --- ---
Comment: ---

Operator: WELCOM
Order number: ---

Aperture: 6 mil, 0.152 mm
Wavelength: LED 625 nm
Unit: Micrometer[μm]
Date: 6/19/2013 1:12:01 PM
Device: REA Check ER (V.1.0.16.0/12302r)
Serial Number: 0030.016.106-00148-4

Symbology: 2/5 INT
Code Content: 886226477795

User comment:

Evaluation: ISO/IEC 15416, ISO/IEC 16390

Symbol: Pass 4.0/06/625

Selected grade: 2.5 (B)
SRP grade: 4.0 (A)

Decode:			4
Symbol contrast:	83%	min 55%	4
Edge Contrast:	59%	min 15%	4
Modulation:	71%	min 60%	4
Rmin/Rmax:	8%	max 50%	4
Defects:	4%	max 20%	4
Decodability:	87%	min 50%	4
Bar deviation:	-3%		

Optional Parameters

PCS(SC):	0.91	min 0.75	4
Bright value(Rmax):	90%	min 25%	4
Dark value(Rmin):	8%	max 45%	4
PCS(ECMin):	0.84	min 0.75	4
Bright value(Rs):	70%	min 25%	4
Dark value(Rb):	10%	max 34%	4
Bar:	-20 6	-92/+92	4
Space:	-7 25	-92/+92	4
P-Value:	-19 28	-184/+184	4
Mean:	-10	-92/+92	4
Z-Module:	230		
Ratio:	2.950	2.000/3.000	4
CPI:	12.400		

 ---, ---
 ---, --- ---
 Comment: ---

Operator: WELCOM
 Order number: ---
 Aperture: 6 mil, 0.152 mm
 Wavelength: LED 625 nm
 Unit: Micrometer[μm]
 Date: 6/19/2013 1:12:01 PM
 Device: REA Check ER (V.1.0.16.0/12302r)
 Serial Number: 0030.016.106-00148-4

Detailed evaluation:

B = Bar, S = Space, E = Bar + Space
 C = Char, CS = Char set, SCV = Value
 P = P-value, V = Decodability[%]

	B S P	B S V	B S CS	B S SCV	B S
	-13 2 -19	-8 95%		10	
88	-1 6 4	-4 2 92%	-17 14	-13 15 88	-9 12
62	-18 9 -5	-7 10 93%	-2 7	-19 11 62	-13 17
26	-15 18 -4	-12 3 90%	0 5	-2 3 26	-18 15
47	-14 15 -6	-20 13 91%	-13 12	-12 2 47	6 4
77	-3 2 -17	-16 14 87%	-17 18	-14 16 77	-10 -7
95	2 6 28	-1 4 89%	-9 25	-17 25 95	-15 8
	-4 0 -7	-4 90%		11	


 ---, ---
 ---, --- ---
 Comment: ---

Operator: WELCOM
 Order number: ---
 Aperture: 6 mil, 0.152 mm
 Wavelength: LED 625 nm
 Unit: Micrometer[μm]
 Date: 6/19/2013 1:12:01 PM
 Device: REA Check ER (V.1.0.16.0/12302r)
 Serial Number: 0030.016.106-00148-4

Table of codewords

10	8	8	6	2	2	6	4	7	7	7	9	5	11
Start	8	8	6	2	2	6	4	7	7	7	9	5	Stop

Histogram:



---, ---
---, --- ---
Comment: ---

Operator: WELCOM
Order number: ---
Aperture: 6 mil, 0.152 mm
Wavelength: LED 625 nm
Unit: Micrometer[μ m]
Date: 6/19/2013 1:12:01 PM
Device: REA Check ER (V.1.0.16.0/12302r)
Serial Number: 0030.016.106-00148-4

Barcode reflectance profile:

